

AMH-2

MULTIFUNCTIONAL HELMET FOR TRAINING SCENARIOS AND DYNAMIC, NON-BALLISTIC OPERATIONS

The AMH-2 is a lightweight, extremely durable helmet with very good shock absorption properties and outstanding ventilation. The AMH-2 is the ideal helmet for training scenarios, rescue operations and dynamic scenarios from the air, water and vehicles. The AMH-2 is the basic helmet for our CTM-1 training kit.

Special properties: Low weight, high level of protection / good ventilation due to vents holes / high wearing comfort thanks to the 4-point harness for the chin and neck area, wheel-dial and pad system / Speed Connect System for quick attachment of visors / compatible with many common hearing protection headsets and respirators / seawater resistant / thermally resistant helmet shell / ideal helmet platform for our CTM-1 training kit.





ranger green



black



grey



red




orange



yellow



midnight-blue



CMR-1

Multifunctional rail with Speed Connect System & Picatinny rail system for quick attachment of accessories such as visors, respirators, lamps, hearing protection headsets, CTM-1 training kit, etc.

VENTS

The shape of the helmet and the recessed holes guarantee very good air circulation

NVG-1

Various NVG mount options, incl. Wilcox®, Unity Tactical® and Armor Australia®

SCS-1

Speed Connect System (SCS) for quick helmet attachment without having to take off the helmet

CRS-2

4-point harness for the chin and neck area for quick adjustment of the helmet on the head, removable & changeable without using any tools

EPP/CPP

Energy-absorbing pads and comfort pads for the helmet wearer's safety and comfort

CRS-2 + WHEEL-DIAL

A wheel-dial system for quick adjustment of the helmet to various head sizes from XS to XL, without having to take off the helmet

SPECIFICATIONS

Material	Fiberglass-reinforced thermoplast SMC
Paint	Two-component paint (2K paint)
Type	High Cut
Edge protection	EPDM rubber edging
Colors	Black, ranger green, yellow, red, orange, grey, dark blue, other colors on request
Weight*	High Cut: 630 g / 1.39 lbs incl. inside equipment and rails
Standard scope of delivery	CPP-1 pad system, CRS-2 harness system, CMR-1 rail system
Size	Unisize 52–63 cm / 6 1/2–8 in.
Interfaces	CMR-1 rail system, NVG mount**



* Helmet weight is subject to manufacturing tolerances of ± 50 g / 0.11 lbs

** The NVG mount and the Velcro pads are optional accessories.

STANDARDS/CERTIFICATIONS

- Shock absorption properties according to DIN EN 397

ACCESSORIES

- NVG mount
- Visors of series CAV-1, CTV-1
- Training kit CTM-1
- Velcro pads CAP-1 and CAP-2
- Bungees BNG-1
- Helmet covers CAC-1 E and CAC-2
- Counterweight pack CAW-1
- Chin strap CRS-2
- Communication adapter COM-1
- Tactical helmet bag TTB-1
- Picatinny Rail Adapter CPR-1

Thank you

for downloading the PDF with information about the AMH-2 helmet. You can learn even more by talking to our experts. Contact us directly. **Schedule an appointment now!**

CLICK HERE



Contact details

Busch PROtective
Sales Team
Im Heidkamp 16
33334 Gütersloh
Germany

E-Mail: sales@busch-protective.com

Web: www.busch-protective.com

Tel.: + 49 5241 500090